

Georgia Department of Natural Resources

Environmental Protection Division

Drinking Water Compliance and Enforcement Unit
Suite 1362 East, 2 Martin Luther King, Jr. Drive S.E.
Atlanta, Georgia 30334-4100

December 31, 2010

Mr. Sam W. Avery, Jr., Director
426 Fairforest Way
Greenville, SC 29607

RE: Certification by Reciprocity
Rogers and Callcott Engineers
Georgia ID #880


Dear Mr. Avery:

The Georgia Department of Natural Resources, Environmental Protection Division (EPD) is in receipt of all required data necessary to fulfill your laboratory's request for Chemical Certification by Reciprocity in Georgia. Therefore, in accordance with the Georgia Safe Drinking Water Act of 1977 (Sections 12-5-170 through 12-5-193, O.C.G.A.) and the Rules for Safe Drinking Water (Chapter 391-3-5), this certification is valid until July 1, 2013. This certificate is contingent upon continued Certification by the State of South Carolina and is **non-transferable**. Out-of-State laboratories will be responsible for contacting and requesting all accreditation/certification data from the accrediting/certifying authority prior to this date. Please notify EPD if a change in status or personnel occurs. Certification by reciprocity will not be reissued until the Division has received the following data directly from the **Accrediting/Certifying Body**:


1. Name and identification number of Laboratory
2. Copies of the most current on-site and corrective data
3. Copies of the scope of accreditation listing analytes
4. Effective Date
5. Expiration Date

For additional information please contact Lynne Grubb at 404-657-3189.

Sincerely,



Brad Addison
Program Manager II
Drinking Water Compliance



Loretta M. Lambert
Laboratory Certification Coordinator
Compliance and Enforcement Unit

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|----------------------|------|-----------------------------|---------------------------|
| IOC | ALUMINUM | 1002 | | |
| IOC | ANTIMONY | 1074 | | |
| IOC | ARSENIC | 1005 | | |
| IOC | ASBESTOS | 1094 | | |
| IOC | BARIUM | 1010 | | |
| IOC | BERYLLIUM | 1075 | | |
| IOC | BISMUTH | 1078 | | |
| IOC | BORON | 1079 | | |
| IOC | BROMATE | 1011 | | |
| IOC | BROMIDE | 1004 | | |
| IOC | CADMIUM | 1015 | | |
| IOC | CALCIUM | 1016 | | |
| IOC | CARBON | 1018 | | |
| IOC | CHLORATE | 1007 | | |
| IOC | CHLORIDE | 1017 | | |
| IOC | CHLORITE | 1009 | | |
| IOC | CHROMIUM | 1020 | | |
| IOC | CHROMIUM, HEXAVALENT | 1080 | | |
| IOC | COBALT | 1081 | | |
| IOC | COPPER | 1022 | | |
| IOC | CYANIDE | 1024 | | |
| IOC | CYANIDE, FREE | 1023 | | |
| IOC | FLUORIDE | 1025 | | |
| IOC | IRON | 1028 | | |
| IOC | IRON, DISSOLVED | 1082 | | |
| IOC | IRON, SUSPENDED | 1029 | | |
| IOC | LEAD | 1030 | | |
| IOC | LITHIUM | 1083 | | |
| IOC | MAGNESIUM | 1031 | | |
| IOC | MANGANESE | 1032 | | |
| IOC | MANGANESE, SUSPENDED | 1033 | | |
| IOC | MERCURY | 1035 | | |
| IOC | MOLYBDENUM | 1084 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|---------------------------------|------|-----------------------------|---------------------------|
| IOC | NEW IOC ORTHOPHOSPHATE | IC44 | | |
| IOC | NICKEL | 1036 | | |
| IOC | NITRATE (AS N) | 1040 | | |
| IOC | NITRATE+NITRITE (AS N) | 1038 | | |
| IOC | NITRITE (AS N) | 1041 | | |
| IOC | NITROGEN, TOTAL KJELDAHL (AS N) | 1037 | | |
| IOC | NITROGEN-AMMONIA (AS N) | 1003 | | |
| IOC | PHOSPHATE (AS PO4) | 1043 | | |
| IOC | PHOSPHATE, REACTIVE | 1073 | | |
| IOC | PHOSPHORUS | 1093 | | |
| IOC | PHOSPHORUS, SOLUBLE | 1072 | | |
| IOC | POTASSIUM | 1042 | | |
| IOC | SELENIUM | 1045 | | |
| IOC | SILICA | 1049 | | |
| IOC | SILVER | 1050 | | |
| IOC | SODIUM | 1052 | | |
| IOC | SULFATE | 1055 | | |
| IOC | THALLIUM | 1085 | | |
| IOC | TIN | 1086 | | |
| IOC | TITANIUM | 1087 | | |
| IOC | VANADIUM | 1088 | | |
| IOC | ZINC | 1095 | | |
| MOR | ACTINOMYCETES | 3011 | | |
| MOR | ADENOVIRUSES | 3430 | | |
| MOR | AEROMONAS | 3026 | | |
| MOR | AEROMONAS HYDROPHILIA | 3200 | | |
| MOR | ALGAE TOXINS | 3310 | | |
| MOR | CALICIVIRUSES | 3420 | | |
| MOR | CAMPYLOBACTER JEJUNI | 3019 | | |
| MOR | CITROBACTER | 3025 | | |
| MOR | CLOSTRIDIUM | 3018 | | |
| MOR | COLIFORM, E. COLI | 3014 | | |

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|------------------------------------|------|-----------------------------|---------------------------|
| MOR | COLIFORM, FECAL | 3013 | | |
| MOR | COLIFORM, TOTAL (PRE-TCR) | 3000 | | |
| MOR | COLIFORM, TOTAL (TCR) | 3100 | | |
| MOR | COXSACHIEVIRUSES | 3410 | | |
| MOR | CRYPTOSPORIDIUM | 2078 | | |
| MOR | CRYPTOSPORIDIUM | 3015 | | |
| MOR | CYANOBACTERIA (BLUE GREEN ALGAE) | 3300 | | |
| MOR | ECHOVIRUSES | 3400 | | |
| MOR | ENTEROBACTER | 3023 | | |
| MOR | ENTEROCOCCI | 3002 | | |
| MOR | ERWINIA | 3027 | | |
| MOR | FECAL STREPTOCOCCUS | 3003 | | |
| MOR | FUNGUS | 3009 | | |
| MOR | GIARDIA LAMBLIA | 3008 | | |
| MOR | HELICOBACTER PYLORI | 3210 | | |
| MOR | HETEROTROPHIC BACTERIA (HPC) | 3001 | | |
| MOR | IRON BACTERIA | 3006 | | |
| MOR | KLEBSIELLA | 3024 | | |
| MOR | LEGIONELLA | 3012 | | |
| MOR | LEPTOSPIRES | 3021 | | |
| MOR | MICROSPORIDIA | 3500 | | |
| MOR | NON-COLIFORM GROWTH IDENTIFICATION | 3005 | | |
| MOR | PSEUDOMONAS | 3017 | | |
| MOR | SALMONELLA | 3007 | | |
| MOR | SHIGELLA | 3016 | | |
| MOR | STAPHYLOCOCCUS | 3004 | | |
| MOR | VIBRIO CHOLERAEE | 3020 | | |
| MOR | VIRUS | 3010 | | |
| MOR | YERSINIA ENTEROCOLITICA | 3022 | | |
| OC | 1,1,1,2-TETRACHLOROETHANE | 2986 | | |
| OC | 1,1,1-TRICHLORO-2-PROPANONE | 2956 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|---|------|-----------------------------|---------------------------|
| OC | 1,1,1-TRICHLOROETHANE | 2981 | South Carolina | 524.2 |
| OC | 1,1,1-TRICHLOROPROPANONE | 2464 | | |
| OC | 1,1,2,2-TETRACHLOROETHANE | 2988 | | |
| OC | 1,1,2-TRICHLOROETHANE | 2985 | South Carolina | 524.2 |
| OC | 1,1-DICHLORO-2-PROPANONE | 2957 | | |
| OC | 1,1-DICHLOROETHANE | 2978 | | |
| OC | 1,1-DICHLOROETHYLENE | 2977 | South Carolina | 524.2 |
| OC | 1,1-DICHLOROPROPANONE | 2463 | | |
| OC | 1,1-DICHLOROPROPENE | 2410 | | |
| OC | 1,2,3 - TRIMETHYLBENZENE | 2419 | | |
| OC | 1,2,3-TRICHLOROBENZENE | 2420 | | |
| OC | 1,2,3-TRICHLOROPROPANE | 2414 | | |
| OC | 1,2,4-TRICHLOROBENZENE | 2378 | South Carolina | 524.2 |
| OC | 1,2,4-TRIMETHYLBENZENE | 2418 | | |
| OC | 1,2-DIBROMOETHYLENE(EDB, Ethylene Dibromide, 1,2-Dibromoethane) | 2232 | | |
| OC | 1,2-DICHLOROETHANE | 2980 | South Carolina | 524.2 |
| OC | 1,2-DICHLOROPROPANE | 2983 | South Carolina | 524.2 |
| OC | 1,2-DIPHENYLHYDRAZINE | 2268 | | |
| OC | 1,3,5-TRICHLOROBENZENE | 2377 | | |
| OC | 1,3,5-TRIMETHYLBENZENE | 2424 | | |
| OC | 1,3-DICHLOROPROPANE | 2412 | | |
| OC | 1,3-DICHLOROPROPENE | 2413 | | |
| OC | 1,3-DICHLOROPROPYLENE | 2655 | | |
| OC | 1,4-DIOXANE | 2049 | | |
| OC | 1-CHLOROBUTANE | 2086 | | |
| OC | 1-CHLOROHEXANE | 2087 | | |
| OC | 1-METHYL-NAPHTHALENE | 2315 | | |
| OC | 1-NAPHTHOL (1- HYDORXYNAPHTHHALENE) | 2259 | | |
| OC | 2,2-DICHLOROPROPANE | 2416 | | |
| OC | 2,3,7,8 TCDD (DIOXIN) | 2063 | | |
| OC | 2,4 DIMETHYLPHENOL | 2336 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|---------------------------------|------|-----------------------------|---------------------------|
| OC | 2,4,5-T | 2111 | | |
| OC | 2,4,5-TP (SILVEX) | 2110 | | |
| OC | 2,4,5-TRICHLOROPHENOL | 2242 | | |
| OC | 2,4,6-TRICHLOROPHENOL | 2332 | | |
| OC | 2,4,DB | 2106 | | |
| OC | 2,4-D | 2105 | | |
| OC | 2,4-DICHLOROPHENOL | 2334 | | |
| OC | 2,4-DINITROPHENOL | 2328 | | |
| OC | 2,4-DINITROTOLUENE | 2270 | | |
| OC | 2,6-DINITROTOLUENE | 2266 | | |
| OC | 2-CHLOROETHYL VINYL ETHER | 2234 | | |
| OC | 2-CHLORONAPHTHALENE | 2258 | | |
| OC | 2-CHLOROPHENOL | 2344 | | |
| OC | 2-HEXANONE | 2269 | | |
| OC | 2-METHYL NAPHTHALENE | 2241 | | |
| OC | 2-METHYL-4,6-DINITROPHENOL | 2227 | | |
| OC | 2-METHYLPHENOL | 2233 | | |
| OC | 2-NITROANILINE | 2200 | | |
| OC | 2-NITROPHENOL | 2340 | | |
| OC | 2-NITROPROPANE | 2469 | | |
| OC | 3,3-DICHLOROBENZIDINE | 2320 | | |
| OC | 3,4-DICHLOROBENZOIC ACID | 2109 | | |
| OC | 3-HYDROXYCARBOFURAN | 2066 | | |
| OC | 3-NITROANILINE | 2201 | | |
| OC | 4,6-DINITRO-O-CRESOL | 2346 | | |
| OC | 4-BROMOPHENYL PHENYL ETHER | 2276 | | |
| OC | 4-CHLORO-PHENYL-PHENYL ETHER | 2318 | | |
| OC | 4-CHLOROANILINE | 2239 | | |
| OC | 4-METHYLPHENOL | 2235 | | |
| OC | 4-NITROANILINE | 2203 | | |
| OC | 4-NITROPHENOL | 2342 | | |
| OC | ACENAPHTHENE | 2261 | | |

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|-------------------------------------|------|-----------------------------|---------------------------|
| OC | ACENAPHTHYLENE | 2260 | | |
| OC | ACETALDEHYDE | 2470 | | |
| OC | ACETIC ACID (ETHANOIC ACID) | 2449 | | |
| OC | ACETONE | 2243 | | |
| OC | ACIFLUORFEN | 2108 | | |
| OC | ACROLEIN | 2238 | | |
| OC | ACRYLAMIDE | 2265 | | |
| OC | ACRYLONITRILE | 2240 | | |
| OC | ACTEHLOR | 2027 | | |
| OC | ALACHLOR (LASSO) | 2051 | | |
| OC | ALACHLOR ESA | 2004 | | |
| OC | ALDICARB | 2047 | | |
| OC | ALDICARB SULFONE | 2044 | | |
| OC | ALDICARB SULFOXIDE | 2043 | | |
| OC | ALDRIN | 2356 | | |
| OC | ALLYL CHLORIDE | 2402 | | |
| OC | AMIBEN | 2620 | | |
| OC | AMPA, AMINOMETHYLPHOSPHONIC ACID | 2097 | | |
| OC | AMYL ACETATE | 2081 | | |
| OC | ANILINE | 2230 | | |
| OC | ANTHRACENE | 2280 | | |
| OC | AOC/BDOC | 2485 | | |
| OC | AROCLOR 1016 (PCB) | 2388 | | |
| OC | AROCLOR 1221 (PCB) | 2390 | | |
| OC | AROCLOR 1232 (PCB) | 2392 | | |
| OC | AROCLOR 1242 (PCB) | 2394 | | |
| OC | AROCLOR 1248 (PCB) | 2396 | | |
| OC | AROCLOR 1254 (PCB) | 2398 | | |
| OC | AROCLOR 1260 (PCB) | 2400 | | |
| OC | ATRAZINE | 2050 | | |
| OC | AZINPHOS-METHYL (GUITHON) | 2059 | | |
| OC | AZOBENZENE | 2204 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|-------------------------------|------|-----------------------------|---------------------------|
| OC | BENEZENE 2 | 9999 | | |
| OC | BENFLURALIN (BENETIN) | 2207 | | |
| OC | BENTAZON (BASAGRAN) | 2625 | | |
| OC | BENZALDEHYDE | 2479 | | |
| OC | BENZENE | 2990 | South Carolina | 524.2 |
| OC | BENZIDINE | 2292 | | |
| OC | BENZO (A) ANTHRACENE | 2300 | | |
| OC | BENZO (A) PYRENE | 2306 | | |
| OC | BENZO (B) FLUORANTHENE | 2302 | | |
| OC | BENZO (G,H,I) PERYLENE | 2312 | | |
| OC | BENZO (K) FLUORANTHENE | 2304 | | |
| OC | BENZOIC ACID | 2237 | | |
| OC | BENZYL ALCOHOL | 2231 | | |
| OC | BHC-ALPHA | 2348 | | |
| OC | BHC-BETA | 2350 | | |
| OC | BHC-DELTA | 2354 | | |
| OC | BHC-GAMMA (LINDANE) | 2010 | | |
| OC | BIS(2-CHLOROETHOXY) METHANE | 2250 | | |
| OC | BIS(2-CHLOROETHYL) ETHER | 2222 | | |
| OC | BIS(2-CHLOROISOPROPYL) ETHER | 2244 | | |
| OC | BIS(2-ETHYLHEXYL) PHTHALATE | 2298 | | |
| OC | BIS(CHLOROMETHYL) ETHER | 2324 | | |
| OC | BOLSTAR | 2635 | | |
| OC | BROMACIL | 2098 | | |
| OC | BROMOBENZENE | 2993 | | |
| OC | BROMOCHLOROACETIC ACID | 2339 | | |
| OC | BROMOCHLOROACETIC ACID | 2455 | | |
| OC | BROMOCHLOROACETONITRILE | 2462 | | |
| OC | BROMOCHLOROACETONITRILE | 2951 | | |
| OC | BROMOCHLOROMETHANE | 2430 | | |
| OC | BROMODICHLOROMETHANE | 2943 | South Carolina | 524.2 |
| OC | BROMOFORM | 2942 | South Carolina | 524.2 |
| OC | BROMOMETHANE (Methyl bromide) | 2214 | | |

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|-------------------------------|------|-----------------------------|---------------------------|
| OC | BROMOXYNIL | 2209 | | |
| OC | BUTACHLOR (MACHETE) | 2076 | | |
| OC | BUTANAL | 2472 | | |
| OC | BUTANE | 2082 | | |
| OC | BUTYL ACETATE | 2083 | | |
| OC | BUTYLATE (SUTAN) | 2053 | | |
| OC | BUTYLBENZYL PHTHALATE | 2294 | | |
| OC | CARBARYL | 2021 | | |
| OC | CARBOFURAN | 2046 | | |
| OC | CARBON DISULFIDE | 1902 | | |
| OC | CARBON TETRACHLORIDE | 2982 | South Carolina | 524.2 |
| OC | CHLORAL HYDRATE | 2460 | | |
| OC | CHLORAL HYDRATE | 2952 | | |
| OC | CHLORAMBEN | 2205 | | |
| OC | CHLORDANE | 2959 | | |
| OC | CHLOROACETONITRILE | 2466 | | |
| OC | CHLORODIBROMOMETHANE | 2944 | South Carolina | 524.2 |
| OC | CHLOROETHANE | 2216 | | |
| OC | CHLOROFORM | 2941 | South Carolina | 524.2 |
| OC | CHLROMETHANE(Methyl chloride) | 2210 | | |
| OC | CHLOROPICRIN | 2465 | | |
| OC | CHLOROPICRIN | 2953 | | |
| OC | CHLORPYRIFOS (LORSBAN) | 2057 | | |
| OC | CHLORPYRIPHOS | 2215 | | |
| OC | CHLORSULFURON | 2217 | | |
| OC | CHLORTHALONL | 2213 | | |
| OC | CHRYSENE | 2296 | | |
| OC | CIS-1,2-DICHLOROETHYLENE | 2380 | South Carolina | 524.2 |
| OC | CIS-1,3-DICHLOROPROPENE | 2228 | | |
| OC | COUNTER (TERBOFUS) | 2545 | | |
| OC | CYANAZINE | 2054 | | |
| OC | CYANOGEN CHLORIDE | 2080 | | |
| OC | DACTHAL (DCPA) | 2099 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|--------------------------------|------|-----------------------------|---------------------------|
| OC | DALAPON | 2031 | | |
| OC | DCPA DI ACID DEGRADATE | 2101 | | |
| OC | DCPA MONO ACID DEGRADATE | 2100 | | |
| OC | DDD, ORTHO-PARA | 2367 | | |
| OC | DDD, PARA-PARA | 2071 | | |
| OC | DDE, ORTHO-PARA | 2365 | | |
| OC | DDE, PARA-PARA | 2069 | | |
| OC | DDT, ORTHO-PARA | 2369 | | |
| OC | DDT, PARA-PARA | 2075 | | |
| OC | DECANAL | 2481 | | |
| OC | DECHLOROBIPHENYL | 2384 | | |
| OC | DES-ETHYL-ATRAZINE | 2006 | | |
| OC | DES-ISOPROPYL-ATRAZINE | 2007 | | |
| OC | DI(2-ETHYLHEXYL) - ADIPATE | 2035 | | |
| OC | DI(2-ETHYLHEXYL) - PHTHALATE | 2039 | | |
| OC | DI-N-BUTYL PHTHALATE | 2290 | | |
| OC | DI-N-OCTYL PHTHALATE | 2223 | | |
| OC | DIAZINON (SPECTRACIDE) | 2056 | | |
| OC | DIBENZO (A,H) ANTHRACENE | 2310 | | |
| OC | DIBENZOFURAN | 2202 | | |
| OC | DIBROMOACETIC ACID | 2329 | South Carolina | 552.3 |
| OC | DIBROMOACETIC ACID | 2454 | | |
| OC | DIBROMOACETONITRILE | 2079 | | |
| OC | DIBROMOCHLOROPROPANE (DBCP) | 2931 | | |
| OC | DIBROMOMETHANE | 2408 | | |
| OC | DICAMBA | 2440 | | |
| OC | DICHLORAN; (BOTRAN) | 2933 | | |
| OC | DICHLORETHYLENE | 2650 | | |
| OC | DICHLOROACETIC ACID | 2331 | South Carolina | 552.3 |
| OC | DICHLOROACETIC ACID | 2451 | | |
| OC | DICHLOROACETONITRILE | 2461 | | |
| OC | DICHLOROACETONITRILE | 2954 | | |

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|-----------------------------------|------|-----------------------------|---------------------------|
| OC | DICHLOROBENZENES | 2401 | | |
| OC | DICHLORODIFLUOROMETHANE | 2212 | | |
| OC | DICHLOROIODOMETHANE | 2975 | | |
| OC | DICHLOROMETHANE | 2964 | South Carolina | 524.2 |
| OC | DICHLOROPROP | 2206 | | |
| OC | DICHTROPHOS (DEMETON - CO) | 2220 | | |
| OC | DIELDRIN | 2070 | | |
| OC | DIETHYL PHTHALATE | 2284 | | |
| OC | DIODOMETHANE | 2236 | | |
| OC | DIMETHOATE | 2221 | | |
| OC | DIMETHYL PHTHALATE | 2282 | | |
| OC | DINOSEB | 2041 | | |
| OC | DIQUAT | 2032 | | |
| OC | DISSOLVED ORGANIC CARBON (DOC) | 2919 | | |
| OC | DISULFOTON | 2102 | | |
| OC | DIURON | 2103 | | |
| OC | DYFONATE | 2570 | | |
| OC | ENDOSULFAN I (ALPHA) | 2068 | | |
| OC | ENDOSULFAN II (BETA) | 2072 | | |
| OC | ENDOSULFAN SULFATE | 2074 | | |
| OC | ENDOTHALL | 2033 | | |
| OC | ENDRIN | 2005 | | |
| OC | ENDRIN ALDEHYDE | 2372 | | |
| OC | EPICHLOROHYDRIN | 2257 | | |
| OC | EPTAM (EPTC) | 2052 | | |
| OC | ETHALFLURALIN | 2252 | | |
| OC | ETHION (ETU) | 2062 | | |
| OC | ETHYL ACETATE | 2088 | | |
| OC | ETHYL ALCOHOL | 2089 | | |
| OC | ETHYL ETHER | 2090 | | |
| OC | ETHYL METHACRYLATE | 2293 | | |
| OC | ETHYLBENZENE | 2992 | South Carolina | 524.2 |

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|--|------|-----------------------------|---------------------------|
| OC | ETHYLENE DIBROMIDE (EDB) | 2946 | | |
| OC | ETHYLENE GLYCOL | 2960 | | |
| OC | FLUOMETURON | 2297 | | |
| OC | FLUORANTHENE | 2286 | | |
| OC | FLUORENE | 2264 | | |
| OC | FORMALDEHYDE | 2961 | | |
| OC | GASOLINE | 2A01 | | |
| OC | GLYOXAL | 2474 | | |
| OC | GLYPHOSATE | 2034 | | |
| OC | HEPTACHLOR | 2065 | | |
| OC | HEPTACHLOR EPOXIDE | 2067 | | |
| OC | HEPTANAL | 2477 | | |
| OC | HEXACHLOROBENZENE | 2274 | | |
| OC | HEXACHLOROBUTADIENE | 2246 | | |
| OC | HEXACHLOROCYCLOPENTADIENE | 2042 | | |
| OC | HEXACHLOROETHANE | 2225 | | |
| OC | HEXAMETHYLPHOSPHORAMINE (HMPA) | 2940 | | |
| OC | HEXANAL | 2476 | | |
| OC | HYDROCARBONS, EXTRACTABLE IN DIESEL OIL | 1062 | | |
| OC | HYDROCARBONS, EXTRACTABLE IN WASTE OIL | 1065 | | |
| OC | HYPOCHLORITE ION | 2048 | | |
| OC | INDENO (1,2,3-CD) PYRENE | 2308 | | |
| OC | ISO-OCTANE | 2091 | | |
| OC | ISOBUTYL ACETATE | 2092 | | |
| OC | ISOBUTYL ALCOHOL | 2093 | | |
| OC | ISOFENPHOS (OLFANOL) | 2060 | | |
| OC | ISOPHORONE | 2262 | | |
| OC | ISOPROPYL ACETATE | 2094 | | |
| OC | ISOPROPYL ALCOHOL | 2095 | | |
| OC | ISOPROPYL ETHER | 2245 | | |
| OC | ISOPROPYLBENZENE | 2994 | | |

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|-----------------------------------|------|-----------------------------|---------------------------|
| OC | KELTHANE (DICOFAL) | 2370 | | |
| OC | KEPONE | 2930 | | |
| OC | KEROSENE | 2374 | | |
| OC | LINURON | 2283 | | |
| OC | M-DICHLOROBENZENE | 2967 | | |
| OC | MALATHION | 2058 | | |
| OC | MCPA | 2113 | | |
| OC | MECOPROP | 2112 | | |
| OC | METASYSTOX (DEMETONMETHYL) | 2253 | | |
| OC | METHACRYLONITRILE | 2467 | | |
| OC | METHANE | 2441 | | |
| OC | METHIOCARB | 2024 | | |
| OC | METHOMYL | 2022 | | |
| OC | METHOXYCHLOR | 2015 | | |
| OC | METHYL ACETATE | 2442 | | |
| OC | METHYL ALCOHOL | 2443 | | |
| OC | METHYL CELLOSOLVE | 2444 | | |
| OC | METHYL ETHYL KETONE (MEK) | 2247 | | |
| OC | METHYL GLYOXAL | 2475 | | |
| OC | METHYL IODINE | 2458 | | |
| OC | METHYL ISOBUTYL KETONE | 2249 | | |
| OC | METHYL METHACRYLATE | 2295 | | |
| OC | METHYL TERT-BUTYL ETHER (MTBE) | 2251 | | |
| OC | METOLACHLOR | 2045 | | |
| OC | METRIBUZIN (SENCOR) | 2595 | | |
| OC | MIREX | 2932 | | |
| OC | MOCAP | 2590 | | |
| OC | MOLINATE (ORDRAM) | 2626 | | |
| OC | MONOBROMOACETIC ACID | 2338 | South Carolina | 552.3 |
| OC | MONOBROMOACETIC ACID | 2453 | | |
| OC | MONOCHLOROACETIC ACID | 2335 | South Carolina | 552.3 |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013
DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|---------------------------|------|-----------------------------|---------------------------|
| OC | MONOCHLOROACETIC ACID | 2450 | | |
| OC | MONOCHLOROBENZENE | 2989 | South Carolina | 524.2 |
| OC | N-BUTYL ALCOHOL | 2084 | | |
| OC | N-BUTYLBENZENE | 2422 | | |
| OC | N-HEXANE | 2376 | | |
| OC | N-NITROSODI-N-PROPYLAMINE | 2316 | | |
| OC | N-NITROSODIMETHYLAMINE | 2314 | | |
| OC | N-NITROSODIPHENYLAMINE | 2229 | | |
| OC | N-PROPYL ALCOHOL | 2446 | | |
| OC | N-PROPYLBENZENE | 2998 | | |
| OC | NAPHTHALENE | 2248 | | |
| OC | NEW OC ORTHOPHOSPHATE | OC44 | | |
| OC | NITROBENZENE | 2254 | | |
| OC | NONANAL | 2480 | | |
| OC | O-CHLOROTOLUENE | 2965 | | |
| OC | O-DICHLOROBENZENE | 2968 | South Carolina | 524.2 |
| OC | OCTANAL | 2478 | | |
| OC | OIL & GREASE | 1090 | | |
| OC | OIL, #2 FUEL | 2A02 | | |
| OC | OIL, #4 FUEL | 2A04 | | |
| OC | OIL, #5 FUEL | 2A05 | | |
| OC | OIL, JET FUEL #6 | 2A03 | | |
| OC | OIL, MOTOR | 2A06 | | |
| OC | OIL, SUBMERSIBLE PUMP | 2A07 | | |
| OC | OXAMYL (VYDATE) | 2036 | | |
| OC | P-CHLORO-M-CRESOL | 2330 | | |
| OC | P-CHLOROTOLUENE | 2966 | | |
| OC | P-DICHLOROBENZENE | 2969 | South Carolina | 524.2 |
| OC | P-ISOPROPYLTOLUENE | 2030 | | |
| OC | PAHS | 2038 | | |
| OC | PARAQUAT | 2028 | | |
| OC | PARATHION - ETHYL | 2064 | | |
| OC | PCB 1262 | 2399 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|------------------------------------|------|-----------------------------|---------------------------|
| OC | PENDIMETHYLIN | 2255 | | |
| OC | PENTACHLOROETHANE | 2327 | | |
| OC | PENTACHLOROPHENOL | 2326 | | |
| OC | PENTANAL | 2473 | | |
| OC | PENTANE | 2325 | | |
| OC | PERCHLORATE | 1039 | | |
| OC | PERMETHRIN (MIXED, CIS, TRANS) | 2114 | | |
| OC | PERMETHRIN, TRANS | 2275 | | |
| OC | PHENANTHRENE | 2278 | | |
| OC | PHENOLS | 2910 | | |
| OC | PHORATE | 2605 | | |
| OC | PHOSDRIN | 2073 | | |
| OC | PICLORAM | 2040 | | |
| OC | POLYCHLORINATED BIPHENYLS (PCB) | 2383 | | |
| OC | PROMETON (P-CYMENE) | 2029 | | |
| OC | PROPACHLOR | 2077 | | |
| OC | PROPANAL | 2471 | | |
| OC | PROPANE | 2A09 | | |
| OC | PROPANIL | 2289 | | |
| OC | PROPAZINE | 2256 | | |
| OC | PROPHOS | 2267 | | |
| OC | PROPIONITRILE | 2468 | | |
| OC | PROPOXUR (BAYGON) | 2023 | | |
| OC | PROPYL ACETATE | 2445 | | |
| OC | PROWL | 2615 | | |
| OC | PYRENE | 2288 | | |
| OC | RDX | 2096 | | |
| OC | SEC-BUTYL ALCOHOL | 2085 | | |
| OC | SEC-BUTYLBENZENE | 2428 | | |
| OC | SIDURON | 2301 | | |
| OC | SIMAZINE | 2037 | | |
| OC | STYRENE | 2996 | South Carolina | 524.2 |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|--|------|-----------------------------|---------------------------|
| OC | SUVA (SPECIFIC ULTRAVIOLET ABSORBANCE) | 2923 | | |
| OC | TEBUTHIURON | 2271 | | |
| OC | TEDION | 2371 | | |
| OC | TERBACIL | 2272 | | |
| OC | TERRACLOR (PCNB) | 2934 | | |
| OC | TERT-BUTYLBENZENE | 2426 | | |
| OC | TETRACHLOROETHYLENE | 2987 | South Carolina | 524.2 |
| OC | TETRAHYDROFURAN | 2263 | | |
| OC | THIDIAZURON | 2303 | | |
| OC | THIOBENCARB (BOLERO) | 2727 | | |
| OC | TOLUENE | 2991 | South Carolina | 524.2 |
| OC | TOTAL HALOACETIC ACIDS (HAA5) | 2456 | | |
| OC | TOTAL ORGANIC HALIDE (TOX) | 2921 | | |
| OC | TOTAL TRIHALOMETHANES (TTHM) | 2950 | South Carolina | 524.2 |
| OC | TOXAPHENE (Chlorinated camphene) | 2020 | | |
| OC | TRANS-1,2-DICHLOROETHYLENE | 2979 | South Carolina | 524.2 |
| OC | TRANS-1,2-DICHLOROPROPENE | 2226 | | |
| OC | TRANS-1,3-DICHLOROPROPENE | 2224 | | |
| OC | TRANS-1,4-DICHLORO-2-BUTENE | 2970 | | |
| OC | TRANS-NONACHLOR | 2273 | | |
| OC | TRICHLOROACETIC ACID | 2337 | South Carolina | 552.3 |
| OC | TRICHLOROACETIC ACID | 2452 | | |
| OC | TRICHLOROACETONITRILE | 2219 | | |
| OC | TRICHLOROETHYLENE | 2984 | South Carolina | 524.2 |
| OC | TRICHLOROFLUOROMETHANE | 2218 | | |
| OC | TRICHLOROTRIFLUOROETHANE (FREON 113) | 2904 | | |
| OC | TRICLOPYR | 2107 | | |
| OC | TRIFLURALIN | 2055 | | |
| OC | TRIHALOMETHANE,MAX POTENTIAL (MTP) | 2949 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|---------------------------|------|-----------------------------|---------------------------|
| OC | TRITHION | 2061 | | |
| OC | VAR SOL | 2A08 | | |
| OC | VINYL 2-CHLOROETHYL ETHER | 2520 | | |
| OC | VINYL ACETATE | 2447 | | |
| OC | VINYL CHLORIDE | 2976 | South Carolina | 524.2 |
| OC | XYLENE, META | 2995 | | |
| OC | XYLENE, META AND PARA | 2963 | | |
| OC | XYLENE, ORTHO | 2997 | | |
| OC | XYLENE, PARA | 2962 | | |
| OC | XYLENES | 2955 | South Carolina | 524.2 |
| OT | NOTE: (RESERVED BY MSIS) | 1999 | | |
| OT | NOTE: (RESERVED BY MSIS) | 2999 | | |
| OT | NOTE: (RESERVED BY MSIS) | 4999 | | |
| RA | ANTIMONY-122 | 4240 | | |
| RA | ANTIMONY-124 | 4242 | | |
| RA | ANTIMONY-125 | 4244 | | |
| RA | ANTIMONY-127 | 4246 | | |
| RA | ARSENIC-73 | 4152 | | |
| RA | ARSENIC-74 | 4154 | | |
| RA | ARSENIC-76 | 4156 | | |
| RA | ARSENIC-77 | 4158 | | |
| RA | BARIUM-140 | 4278 | | |
| RA | BERYLLIUM-10 | 4106 | | |
| RA | BERYLLIUM-7 | 4104 | | |
| RA | BISMUTH-206 | 4374 | | |
| RA | BISMUTH-207 | 4376 | | |
| RA | BISMUTH-210 | 4378 | | |
| RA | BROMIDE-82 | 4164 | | |
| RA | CADMIUM-109 | 4224 | | |
| RA | CADMIUM-113M | 4226 | | |
| RA | CADMIUM-115 | 4230 | | |
| RA | CADMIUM-115M | 4228 | | |
| RA | CALCIUM-45 | 4118 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|--|------|-----------------------------|---------------------------|
| RA | CALCIUM-47 | 4120 | | |
| RA | CARBON-14 | 4108 | | |
| RA | CERIUM-141 | 4282 | | |
| RA | CERIUM-143 | 4284 | | |
| RA | CERIUM-144 | 4286 | | |
| RA | CESIUM-131 | 4266 | | |
| RA | CESIUM-134 | 4270 | | |
| RA | CESIUM-135 | 4272 | | |
| RA | CESIUM-136 | 4274 | | |
| RA | CESIUM-137 | 4276 | | |
| RA | CHLORINE-36 | 4116 | | |
| RA | CHROMIUM-51 | 4130 | | |
| RA | COBALT-57 | 4138 | | |
| RA | COBALT-58 | 4140 | | |
| RA | COBALT-60 | 4142 | | |
| RA | DYSPROSIUM-166 | 4316 | | |
| RA | ERBIUM-169 | 4322 | | |
| RA | EUROPIUM-152 | 4304 | | |
| RA | EUROPIUM-154 | 4306 | | |
| RA | EUROPIUM-155 | 4308 | | |
| RA | EUROPIUM-156 | 4310 | | |
| RA | GADOLIUM-153 | 4312 | | |
| RA | GERANIUM-71 | 4150 | | |
| RA | GOLD-196 | 4364 | | |
| RA | GOLD-198 | 4366 | | |
| RA | GROSS ALPHA PARTICLE ACTIVITY, TOTAL | 4109 | | |
| RA | GROSS ALPHA, DISSOLVED | 4040 | | |
| RA | GROSS ALPHA, INCLDNG RA & U, EXCLDNG RN | 4002 | | |
| RA | GROSS ALPHA, INCLDNG RA, EXCLDNG RN & U | 4000 | | |
| RA | GROSS ALPHA, SUSPENDED | 4041 | | |
| RA | GROSS BETA PARTICLE ACTIVITY | 4100 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|---|------|-----------------------------|---------------------------|
| RA | GROSS BETA, DISSOLVED | 4042 | | |
| RA | GROSS BETA, SUSPENDED | 4043 | | |
| RA | HAFNIUM-181 | 4332 | | |
| RA | HOLMIUM-166 | 4318 | | |
| RA | HOLMIUM-166M | 4320 | | |
| RA | INDIUM-115 | 4232 | | |
| RA | IODINE-126 | 4260 | | |
| RA | IODINE-129 | 4262 | | |
| RA | IODINE-131 | 4264 | | |
| RA | IRIDIUM-190 | 4354 | | |
| RA | IRIDIUM-192 | 4356 | | |
| RA | IRON-55 | 4134 | | |
| RA | IRON-59 | 4136 | | |
| RA | LANTHANUM-140 | 4280 | | |
| RA | LEAD-203 | 4370 | | |
| RA | LEAD-210 | 4372 | | |
| RA | LUTETIUM-177 | 4330 | | |
| RA | MAN-MADE BETA PARTICLE & PHOTON EMITTERS | 4101 | | |
| RA | MANGANESE-54 | 4132 | | |
| RA | MOLYBDENUM-93 | 4190 | | |
| RA | MOLYBDENUM-99 | 4192 | | |
| RA | NEODYMIUM-147 | 4290 | | |
| RA | NICKEL-59 | 4144 | | |
| RA | NICKEL-63 | 4146 | | |
| RA | NIOBIUM-93 | 4186 | | |
| RA | NIOBIUM-95 | 4188 | | |
| RA | OSMIUM-185 | 4348 | | |
| RA | OSMIUM-191 | 4350 | | |
| RA | OSMIUM-193 | 4352 | | |
| RA | PALLADIUM-103 | 4212 | | |
| RA | PALLADIUM-107 | 4214 | | |
| RA | PHOSPHORUS-32 | 4112 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|-----------------------------|------|-----------------------------|---------------------------|
| RA | PHOTON EMITTERS | 4012 | | |
| RA | PLATINUM-191 | 4358 | | |
| RA | PLATINUM-193 | 4360 | | |
| RA | PLATINUM-193M | 4362 | | |
| RA | POLONIUM-210 | 4380 | | |
| RA | POTASSIUM-40 | 4044 | | |
| RA | PRASEODYMIUM-143 | 4288 | | |
| RA | PROMETHIUM-147 | 4292 | | |
| RA | PROMETHIUM-148 | 4294 | | |
| RA | PROMETHIUM-148M | 4296 | | |
| RA | PROMETHIUM-149 | 4298 | | |
| RA | PROTACTINIUM-233 | 4382 | | |
| RA | RADIUM, COMBINED (226, 228) | 4010 | | |
| RA | RADIUM-226 | 4020 | | |
| RA | RADIUM-228 | 4030 | | |
| RA | RADON 222 | 4004 | | |
| RA | RHENIUM-183 | 4342 | | |
| RA | RHENIUM-186 | 4344 | | |
| RA | RHENIUM-187 | 4346 | | |
| RA | RHODIUM-105 | 4210 | | |
| RA | RUBIDIUM-86 | 4166 | | |
| RA | RUBIDIUM-87 | 4168 | | |
| RA | RUTHENIUM-103 | 4206 | | |
| RA | RUTHENIUM-106 | 4208 | | |
| RA | RUTHENIUM-97 | 4204 | | |
| RA | SAMARIUM-151 | 4300 | | |
| RA | SAMARIUM-153 | 4302 | | |
| RA | SCANDIUM-46 | 4122 | | |
| RA | SCANDIUM-47 | 4124 | | |
| RA | SCANDIUM-48 | 4126 | | |
| RA | SELENIUM-75 | 4160 | | |
| RA | SELENIUM-79 | 4162 | | |
| RA | SILVER-105 | 4216 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013
DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|-------------------|------|-----------------------------|---------------------------|
| RA | SILVER-110 | 4218 | | |
| RA | SILVER-111 | 4222 | | |
| RA | SODIUM-22 | 4110 | | |
| RA | STRONTIUM | 1051 | | |
| RA | STRONTIUM-85 | 4170 | | |
| RA | STRONTIUM-89 | 4172 | | |
| RA | STRONTIUM-90 | 4174 | | |
| RA | SULFUR-35 | 4114 | | |
| RA | TANTALUM-182 | 4334 | | |
| RA | TECHNETIUM-96 | 4194 | | |
| RA | TECHNETIUM-97 | 4196 | | |
| RA | TECHNETIUM-97M | 4198 | | |
| RA | TECHNETIUM-99 | 4200 | | |
| RA | TECHNETIUM-99M | 4202 | | |
| RA | TELLURIUM-125 | 4248 | | |
| RA | TELLURIUM-127 | 4250 | | |
| RA | TELLURIUM-127M | 4252 | | |
| RA | TELLURIUM-129 | 4254 | | |
| RA | TELLURIUM-129M | 4256 | | |
| RA | TELLURIUM-132 | 4258 | | |
| RA | TERBIUM-160 | 4314 | | |
| RA | THALLIUM-204 | 4368 | | |
| RA | THULIUM-170 | 4324 | | |
| RA | THULIUM-171 | 4326 | | |
| RA | TIN-113 | 4234 | | |
| RA | TIN-123 | 4236 | | |
| RA | TIN-125 | 4238 | | |
| RA | TRITIUM | 4102 | | |
| RA | TUNGSTEN-181 | 4336 | | |
| RA | TUNGSTEN-185 | 4338 | | |
| RA | TUNGSTEN-187 | 4340 | | |
| RA | URANIUM, COMBINED | 4006 | | |
| RA | URANIUM-234 | 4007 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|--|------|-----------------------------|---------------------------|
| RA | URANIUM-235 | 4008 | | |
| RA | URANIUM-238 | 4009 | | |
| RA | VANADIUM-48 | 4128 | | |
| RA | YTTERBIUM-175 | 4328 | | |
| RA | YTTRIUM-90 | 4176 | | |
| RA | YTTRIUM-91 | 4178 | | |
| RA | YTTRIUM-91M | 4180 | | |
| RA | ZINC-65 | 4148 | | |
| RA | ZIRCONIUM-93 | 4182 | | |
| RA | ZIRCONIUM-95 | 4184 | | |
| RL | CONSUMER CONFIDENCE REPORTS RULE | 7000 | | |
| RL | DISINFECTION BYPRODUCTS RULE | 0400 | | |
| RL | FILTER BACKWASH RULE | 0500 | | |
| RL | INTERIM ENHANCED SWTR | 0300 | | |
| RL | LEAD & COPPER RULE | 5000 | | |
| RL | PUBLIC NOTICE RULE | 7500 | | |
| RL | SURFACE WATER TREATMENT RULE (SWTR) | 0200 | | |
| WQ | ACIDITY, M.O. (CACO3) | 1069 | | |
| WQ | ACIDITY, TOTAL (CACO3) | 1068 | | |
| WQ | AGGRESSIVE INDEX | 1994 | | |
| WQ | ALKALINITY, BICARBONATE | 1928 | | |
| WQ | ALKALINITY, CACO3 STABILITY | 1067 | | |
| WQ | ALKALINITY, CARBONATE | 1929 | | |
| WQ | ALKALINITY, PHENOLPHTALEIN | 1931 | | |
| WQ | ALKALINITY, TOTAL | 1927 | | |
| WQ | BICARBONATE AS HCO3 | 1026 | | |
| WQ | BOD, 5DAY | 1091 | | |
| WQ | CALCIUM | 1019 | | |
| WQ | CALCIUM | 1919 | | |
| WQ | CARBON DIOXIDE | 1901 | | |
| WQ | CARBON, TOTAL ORGANIC (TOC) | 2920 | South Carolina | 5310C |

DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|---|------|-----------------------------|---------------------------|
| WQ | CHLORAMINE RESIDUAL | 1006 | | |
| WQ | CHLORINE | 0999 | | |
| WQ | CHLORINE DIOXIDE RESIDUAL | 1008 | | |
| WQ | CHLORINE RESIDUAL | 1012 | | |
| WQ | CHLORINE RESIDUAL, FREE | 1013 | | |
| WQ | COLOR | 1905 | | |
| WQ | COMBINED CHLORINE | 1001 | | |
| WQ | CONDUCTIVITY | 1064 | | |
| WQ | CORROSIVITY | 1910 | | |
| WQ | FOAMING AGENTS (SURFACTANTS) | 2905 | | |
| WQ | HARDNESS, CALCIUM | 1914 | | |
| WQ | HARDNESS, CALCIUM/MAGNESIUM | 1918 | | |
| WQ | HARDNESS, CARBONATE | 1916 | | |
| WQ | HARDNESS, NON-CARBONATE | 1917 | | |
| WQ | HARDNESS, TOTAL (AS CaCO ₃) | 1915 | | |
| WQ | HARDNESS, TOTAL (GR/GAL) | 1048 | | |
| WQ | HYDROGEN SULFIDE | 1027 | | |
| WQ | HYDROXIDE AS CALCIUM CARBONATE | 1021 | | |
| WQ | LANGELIER INDEX | 1997 | | |
| WQ | MBAS - FOAMING AGENTS (SURFACTANTS) | 1089 | | |
| WQ | ODOR | 1920 | | |
| WQ | ORTHOPHOSPHATE | 1044 | | |
| WQ | OXYGEN DEMAND, CHEMICAL (COD) | 1076 | | |
| WQ | OXYGEN DEMAND, TOTAL | 1092 | | |
| WQ | OZONE | 1096 | | |
| WQ | OZONE RESIDUAL | 1014 | | |
| WQ | PH | 1925 | | |
| WQ | PH, CaCO ₃ STABILITY SU | 1066 | | |
| WQ | RESIDUE, FILTERABLE FIXED | 1059 | | |

#880 Rogers & Callcott Engineers
P.O. Box 5655, Greenville, SC 29606
Effective 12/30/2010 – 7/01/2013
DRINKING WATER CHECKLIST

| Type | Analyte | Code | Certified/ Accredited by | EPA APPROVED METHOD |
|------|-------------------------------------|------|-----------------------------|---------------------------|
| WQ | RESIDUE, FILTERABLE VOLATILE | 1058 | | |
| WQ | RESIDUE, NONFILTERABLE FIXED | 1063 | | |
| WQ | RESIDUE, NONFILTERABLE, VOLATILE | 1077 | | |
| WQ | RESIDUE, SETTLABLE | 1071 | | |
| WQ | RESIDUE, TOTAL | 1070 | | |
| WQ | RESIDUE, TOTAL FILTERABLE | 1057 | | |
| WQ | RESIDUE, TOTAL FIXED | 1061 | | |
| WQ | RESIDUE, TOTAL VOLATILE | 1060 | | |
| WQ | SATURATION INDEX | 1998 | | |
| WQ | SCALE FORMING | 1995 | | |
| WQ | SODIUM, ADSORPTION RATIO | 1047 | | |
| WQ | SODIUM, PERCENT | 1046 | | |
| WQ | SOLIDS, TOTAL DISSOLVED (TDS) | 1930 | | |
| WQ | STABILITY INDEX | 1993 | | |
| WQ | TEMPERATURE (C) | 1996 | | |
| WQ | TOTAL CHLORINE | 1000 | | |
| WQ | TURBIDITY | 0100 | | |
| WQ | UV ABSORBANCE @254 NM | 2922 | | |

LABORATORY NAME _____